

VELP Scientifica Solutions for Heating & Stirring - AREC Series



HSC



AREC



AREC.X



**AREC.X
with Pt100 - Package**



**AREC.X
with VTF - Package**

Construction material		Technopolymer structure	Technopolymer structure	Technopolymer structure	Technopolymer structure	Technopolymer structure
Heating plate		Ceramic	Ceramic	Ceramic	Ceramic	Ceramic
Heating plate dimensions	mm	180x180	180x180	180x180	180x180	180x180
	(in)	7x7	7x7	7x7	7x7	7x7
Stirring speed rpm		up to 1300	up to 1500	up to 1500	up to 1500	up to 1500
Stirring volume L		up to 15	up to 15	up to 15	up to 15	up to 15
Temperature regulation °C		Ambient to 400	Ambient to 550	Ambient to 550	Ambient to 550	Ambient to 550
Overtemperature protection		•	•	•	•	•
Probe (Pt100) connection				•	• (Pt100 included)	
Vertex connection				•		• (VTF included)
Digital display			•	•	•	•
Dimensions (WxHxD) mm		203x94x344	203x94x344	203x94x344	203x94x344 *	203x94x344 *
	(in)	(8.0x3.7x13.5)	(8.0x3.7x13.5)	(8.0x3.7x13.5)	(8.0x3.7x13.5)	(8.0x3.7x13.5)
Weight	Kg	3.3	3.3	3.3	4.5	4.0
	(lb)	(7.3)	(7.3)	(7.3)	(9.8)	(8.7)
Power Supply		115 or 230 V	115 or 230 V	115 or 230 V	115 or 230 V	115 or 230 V
Power		800 W	800 W	800 W	800 W	800 W

* support rod (A00001069) and clamp for Pt100 Probe (A00000004) included

* support rod (A00001069) included



www.velp.com